

STATE OF ALABAMA
COUNTY OF BALDWIN

100-72-172
RECORDED
FEB 27 11 00 AM '82
72-172-5
OFFICE OF THE JUDGE OF PROBATE

SUPPLEMENTAL AMENDMENT
TO
DECLARATION OF COVENANTS,
CONDITIONS, AND RESTRICTIONS
FOR
CRAFT FARMS

(Applicable to Glen Eagles Subdivision)

WHEREAS, CRAFT DEVELOPMENT CORPORATION and CRAFT LAND COMPANY, INC., for themselves, their successor, grantees, transferees and assigns, did by that certain Declaration of Covenants, Conditions, and Restrictions for Craft Farms recorded in Miscellaneous Book 64, pages 1515, et seq., in Office of the Judge of Probate for Baldwin County, Alabama, impose upon the real property described therein, certain mutually beneficial restrictions under a general plan of improvement for the benefit of all owners of real property subject to such Declaration; and

WHEREAS, CRAFT DEVELOPMENT CORPORATION, joined herein by CRAFT LAND COMPANY, INC., does desire to file for record the following Residential and Construction Guidelines applicable to all real property and lots subdivided therein as described in plats of Glen Eagles Subdivision, Phase I and Glen Eagles Subdivision, Phase II, original of plats being recorded in the

FILED
70-172-1028

Office of the Judge of Probate of Baldwin County, Alabama on Slide 1231-B, and on Slide 1219-A, all in compliance with Article VI of said Declaration.

NOW THEREFORE, CRAFT DEVELOPMENT CORPORATION, joined in by CRAFT LAND COMPANY, INC. does hereby declare that all property located within plats of Glen Eagles Subdivision, Phase I and Glen Eagles Subdivision, Phase II, original of plats being recorded in the Office of the Judge of Probate of Baldwin County, Alabama on Slide 1231-B, and on Slide 1219-A, shall be held, sold, conveyed, encumbered, rented, used, occupied and improved subject to the Residential and Construction Guidelines attached hereto as Exhibit "Glen Eagles-A", which are made a part hereof for all purposes.


It is the intent of this document to supplement that certain Exhibit "D" as attached to the Declaration of Covenants, Conditions, and Restrictions for Craft Farms as recorded in Miscellaneous Book 64, pages 1515, et seq., in the Office of the Judge of Probate of Baldwin County, Alabama, and further that all parts and provisions of said Declaration, as may have been subsequently amended, are in all respects ratified and confirmed.

STATE OF ALABAMA

COUNTY OF BALDWIN

I, G. David Chapman III, the undersigned authority, a Notary Public in and for said County in said State, hereby certify that Robert S. Craft whose name as President of CRAFT LAND COMPANY, INC., a corporation, is signed to the foregoing instrument and who is known to me, acknowledged before me on this day, that being informed of the contents of said instrument, he, as such officer and with full authority, executed the same voluntarily for and as the act of said corporation on the day the same bears date.

Given under my hand and seal this the 26th day of February, 1992.



Notary Public

My Commission Expires:
8-22-92

This Instrument Prepared by:
G. DAVID CHAPMAN III, P.C.
Attorney at Law
Post Office Box 1508
Gulf Shores, Alabama 36547
File 92.4897

CRAFT FARMS RESIDENTIAL AND CONSTRUCTION GUIDELINES

GLEN EAGLES VILLAGE

EXHIBIT GLEN EAGLES-A

INTRODUCTION

Building a new community is an exciting and rewarding activity. It is an undertaking that requires the contributions of people and organizations with a wide range of goals and outlooks. These Guidelines have been prepared to direct future development activities in order to realize and maintain the vision of Craft Farms as a Golf and Country Club Community.

These Guidelines specifically relate to "Glen Eagles Village", a sixty lot custom home village located between the fifth, sixth, seventh and eighth fairways of the Cotton Creek Golf Course. These Guidelines are not meant to be rigidly inflexible, but to guide, allowing for creativity and individuality to be expressed. Variances will be allowed provided the applicant for the variance can meet the criteria enunciated in paragraph number 2 under the heading "Exterior Facades" located on page 7 of these Guidelines. The procedures for properly filing an application for a variance are found on page 19 of these Guidelines. The success of Craft Farms depends in great part upon the cooperation of all participants in following these Guidelines to make the community a lively, exciting place to live.

USE OF GUIDELINES

The requirements, objectives, standards, and procedures contained in these Guidelines are all intended to establish and maintain a harmonious community image for Craft Farms. Through these Guidelines and the design review process thus created, a consensus is achieved between individual aesthetic judgment and the broader interests of community standards.

The Guidelines supplement the DECLARATION OF COVENANTS, CONDITIONS, AND RESTRICTIONS the legal document eventually accepted by every homeowner when title to the property is taken. The Covenants establish the Architectural Review Committee and require the Committee's written approval before any change to a site or building exterior of a residential property is made.

The Committee is composed of three or more members appointed by the Developer. Members are selected with the overall objective of creating a balance between lay people and professionals in design and construction.

RESPONSIBILITIES

The Committee's responsibility is to ensure that the harmonious, high quality image of Craft Farms is implemented and maintained. More specifically, the Committee is empowered to perform the following services:

1. Establishment of DECLARATION OF COVENANTS, CONDITIONS, AND RESTRICTIONS FOR CRAFT FARMS for the protection of enduring property values and to provide reasonable safeguards for continuing appreciation.
2. Review of design applications for compliance with codes and design criteria.
3. To promote compatible design and harmonious relationships between parcels and within land uses.

4. To require and sustain high standards of design and quality construction.
5. To establish fees for the review of applications as may be required.
6. To assure that all properties are maintained in the manner prescribed by the Declaration of Covenants.
7. To monitor and correct violations of design criteria as established by the Declaration of Covenants.
8. To amend design criteria as may be required from time to time.
9. To provide reasonable assistance to bring applications into compliance with criteria and covenants.
10. To maintain records of applications, design documents and other related items.
11. To inform members of the community concerning the activities of the Committee and changes in criteria as they may occur.
12. To review and rule on any variance application.

LIMITATION OF RESPONSIBILITIES

The primary goal of the committee is to review the applications, plans, specifications, materials and samples submitted to determine if the proposed structures conform in appearance and construction criteria with standards and policy as set forth by the Committee. The Committee does not assume responsibility for the following:

- a. The structural adequacy, capacity or safety features of the proposed improvement or structure.
- b. Soil erosion, uncompactable or unstable soil conditions.
- c. Compliance with any or all building codes, safety requirements, governmental laws, regulations, or ordinances.
- d. Performance or quality of work of any contractor.

DESIGN REVIEW PROCEDURES

In order to obtain Architectural Review Committee ("Committee") review of proposed site or building exterior construction, the purchaser/builder ("Applicant") initiates the review process by submitting an application to the Committee.

The Committee meets as necessary to review applications within ten (10) days of receipt and will render a decision on an application within fifteen (15) days from the date of submittal. For a typical application, two copies of the Required Information (see following paragraph) must be submitted.

One copy will remain on file with the Committee and one copy, with comments, will be returned to the Applicant.

Each member of the Committee has an equal vote and a simple majority of all members will constitute a decision for approval or denial of an application.

The Applicant starts the formal review process by submitting the following REQUIRED INFORMATION:

PROJECT DATA

1. Name of Applicant.
2. Address and telephone number of applicant.
3. Description of proposed construction.
4. Builder name, address and telephone number.
5. Construction schedule (start and completion).

SITE PLAN DRAWING

A site plan drawn accurately to scale, showing location and extent of:

1. Lot lines.
2. Location of house.
3. Layout of proposed construction such as; drives, walks, etc., including dimensions, as appropriate.

GRADING PLAN

A detailed grading plan showing finished contours, building elevations, spot elevations on pavements, drainage swales/structures, curb/gutter/sidewalk locations, etc.

LANDSCAPE PLAN

A landscape plan for the entire site. Conceptual irrigation plan for the entire site including selection of city water irrigation tap or personal well for water source.

WORKING DRAWINGS

Complete working drawings and specifications for all proposed housing construction.

HOUSE SIDING

A sample of the proposed house siding not less than one square foot in size with the proposed stain or paint color applied.

TRIM MATERIAL

A sample of the proposed trim material not less than twelve inches long with the proposed stain or paint color applied.

BRICK/MASONRY

A sample of any proposed brick or other masonry to be used, including grout color.

ROOFING

A written statement of type and color of roofing to be used.

ELEVATIONS

Final elevations of the proposed residence with front, rear and side views.

DETAILS

Materials, specifications and color chips for the following:

Exterior Doors
Garage Doors
Patio, Decks
Porches
Fences and Walls
Screen Enclosures
Exterior Lighting
Mechanical Equipment
Screens

The Committee will meet to consider the application, and will render a decision by voting. An affirmative vote of a majority constitutes approval.

Within fifteen (15) days of completion of approved construction, the Applicant shall notify the Committee. The Committee then has up to fifteen (15) days to inspect the work. If the work is not done according to the approved application, the Committee has the authority to require the Applicant to remedy the defect within forty-five (45) days or be subject to remove any unapproved construction.

CERTIFICATE OF OCCUPANCY

Upon satisfactory completion of approved construction, the Committee will issue a Certificate of Compliance upon which the applicant may then apply for a Certificate of Occupancy from the City of Gulf Shores, Alabama.

DESIGN GUIDELINES - Glen Eagles Village

The purpose for the Architectural Review Committee is to ensure consistent application of these Guidelines. The Guidelines are designed to promote those qualities in Craft Farms which will bring value to individual properties and will promote the attractiveness and functional utility of the community. Those qualities include a harmonious relationship among structures, vegetation, topography, and overall design of the community.

These Guidelines set forth very specific criteria related to site development and housing construction and represent the standards which will be applied by the Committee in reviewing proposed construction.

NEIGHBORHOOD IDENTITY

The Master Plan for Craft Farms provides for the identity of individual communities within the overall development. Residential development within those communities is to be directed toward the creation of clearly identifiable neighborhoods. Each neighborhood shall be designed according to the following criteria:

1. Entry: Each residential neighborhood shall have at least one clearly identifiable entry off a collector street. Entries shall include a neighborhood identity sign designed according to the Signage Guidelines with appropriate landscaping.
2. Separation: Each neighborhood shall be visually separated from other adjacent neighborhoods with an internal street pattern that minimizes connection to other neighborhoods.

LOT LAYOUT

Lots shall be planned in order to meet the following criteria:

1. Lots shall be deep enough to vary the setback of the house from the street to avoid a walled streetscape appearance.
2. Corner lots shall be sized wide enough to provide a side yard at least 15' on both sides.

LOT GRADING

1. Grading of rear yards is to be designed to provide a level area adjacent to the house at least 15 feet wide.
2. When grading the lot, the edges of all slopes should be rolled to create a natural appearance.
3. The applicant is required to replace any topsoil removed from lot during construction process.

4. Any change to grading shall be approved by the Committee. No new grading shall divert water onto other properties or alter existing drainage patterns.
5. Use contour grading, varying slopes when possible to create a natural appearing land form.
6. Patios, lawn areas, shrub beds, ect., shall be sloped away from foundations.

BUILDING RESTRICTIONS/SETBACKS

1. Unless otherwise noted, the minimum setbacks for all residential buildings including sheds and garages shall be:

Front: 25 Feet
Side: 5 - 15 Feet*
Rear: 35 Feet

*In no case shall the distance between residences be less than 20 Feet.

2. The minimum square footage for each residence will be as follows:
(Heated and cooled space)
 - a. Single-story dwelling — 2,000 sq. ft.
 - b. Two-story dwelling (bottom floor) — 1,200 sq. ft.

PARKING

All single-family homes shall provide for off-street parking as follows:

1. All homes shall have garages with the capacity for at least two cars.
2. No driveway shall be steeper than 10 percent grade.
3. Side entry to garages are desirable and encouraged whenever possible. Automatic garage doors are mandatory.

BUILDING ARCHITECTURE

The overall goal of the Community Development Guidelines is to maintain high quality and harmonious design within each neighborhood, while allowing for diversity and individual choice of home style. While no specific architectural style is dictated, building types whose form, scale and character are strongly suggestive of regional styles inappropriate to the Coastal South are discouraged.

BUILDING SITE

The Applicant is encouraged to carefully evaluate the finish floor elevation of each home relative to the adjacent homes' finish floor elevation and the existing grade.

In order to maintain consistent streetside character of the homes along each street, abrupt or unnecessary modifications to the existing grades are discouraged.

EXTERIOR FACADES

1. The repetition of a particular elevation is limited to two uses within ten continuous homes on either side of the street, unless a major variation exists that removes the visual similarity. The same design shall not be used in lots facing each other across a street.
2. The number of different exterior materials shall be limited to two (three upon proper application for a variance), and the number of exterior colors shall be limited to three on any one house. The factors the Committee will consider while reviewing the variance are; (a) whether it will be contrary to the interest of the other owners within the neighborhood, (b) does it deviate from the quality and harmonious design within the neighborhood, and (c) where a literal enforcement of the provisions of the Residential Guidelines will result in unnecessary hardships on the part of the applicant.
3. Avoid blank walls where possible. Blank walls facing a collector or arterial street are prohibited. Sides of homes facing a street (as on corner lots) shall have windows.
4. Maximum building height shall be 35 feet at ridge line of roof.
5. A minimum of three (3) roofline elevation changes is recommended. However, certain other designs may be approved.
6. All garage doors should be constructed of decorative paneling with an overhead opening. The paneling for the doors should be horizontal panels.

DOORS

The front door shall be located and delineated to adequately define the main entry. Storm and/or screen doors are not allowed on the exterior side of front doors.

WINDOWS

All windows shall be painted or made of non-reflective metal frames and dividers. No reflective glass is permitted. All windows shall be covered with curtains, drapes or other acceptable coverings within six months of occupancy.

TRIM AND MOLDING/SHUTTERS

1. Trim and molding shall be used to provide a finished quality to the structure.
2. Fixed or operable shutters shall be as tall as the windows.

3. Awnings, canopies and shutters shall not be permitted or affixed to the exterior of the building without prior approval by the Committee.
4. Hurricane storm shutters shall not be stored on the exterior of the residence unless approved by the Committee.

GARAGES

1. Attached garages shall be designed as integral elements of the house.
2. Detached garages, where allowed, shall be of compatible design with the home. Roof slopes shall be similar to the home. They shall be connected to the house by a fence, trellis or other architectural feature.
3. Automatic garage door openers are required.

ROOFING

1. Acceptable roofing materials include asphalt shingles, glass-fiber shingles, shakes, certain types of tile or metal seamed. Barrel tile is not acceptable; however, other materials will be evaluated on individual basis and in accordance with the procedures listed herein.
2. All rooftop appurtenances (vents, stand pipes, etc.) shall be painted to match the roof or trim color. Locate these appurtenances on the roof pitch away from the street if possible. Rooftop heating or cooling units of any type are prohibited.
3. Any solar collectors shall be placed so as to appear as an integral part of the roof structure.
4. All exterior antennae or satellite dishes are prohibited.
5. Roof colors shall be an integral part of the exterior color scheme for the building.
6. A minimum of three (3) roof elevation changes is recommended. However, certain other designs may be approved.

EXTERIOR MATERIALS

1. Only building materials of proven durability and quality are to be used.
2. Siding and trim materials shall be sufficiently rigid to prevent warping.
3. All exterior painting of a home shall be in harmony with the other existing homes in the immediate area or street. The Committee shall determine color acceptability in accordance with the established guidelines and procedures. Bright colors (other than white) cannot be used as the dominant exterior color in a building.

LANDSCAPE

The following LANDSCAPE GUIDELINES set minimum standards for the landscaping within single-family neighborhoods to be provided by the Applicant.

MINIMUM REQUIREMENTS

1. All housing lots shall be landscaped by the Applicant prior to home occupancy or within twenty (20) days after, weather conditions permitting.
2. Erosion control measures must be in place prior to home occupancy. This includes erosion seeding and other applicable measures such as rip-rap on those lots which border a storm drain line which outfalls at the low part of a home site. Erosion control fencing shall be in place during the construction phase of each home site and shall remain until the home is occupied and the site is properly landscaped and maintained if needed.
3. An irrigation system tapped to the city irrigation water line or personal well is required for all landscaped areas installed by the Applicant. All irrigation systems are to be below ground, fully automated or manual systems in compliance with all applicable building code requirements. All backflow control devices are to be located or screened so that they are not visible from public streets.
4. The Owners of each residential lot in Glen Eagles will be given, free of charge, four (4) trees in a combination of major and minor types from the tree farm. It will be the responsibility of the homeowner to properly care for this material in accordance with the guidelines established herein.
5. The minimum site area landscaping installed by the Applicant on the lot shall be provided and installed within twenty (20) days of occupancy.
 - a. Front areas from rear of home to street shall present an attractive appearance, emphasizing and reinforcing the major entry and the architectural design of the house. Landscaping shall incorporate a mix of four (4) approved trees provided by the Developer and shrubs and ground cover equal to scale and design of the house provided by Applicant.
 - b. Rear of home must have two (2) approved trees, provided by the Applicant, making a total of six (6) approved trees plus the approved street trees.
 - c. The immediate area around each house shall be provided with shrubs and/or hedges sufficient in size and quantity to provide an effective foundation planting.
 - d. Each lot shall also be provided with sufficient shrubs, hedges and/or groundcovers to provide partial screening, seasonal color and intermediate scale to the lot.

- e. All areas of the lot not landscaped in planting beds shall be sodded with approved grass species.
 - f. All landscaped and sodded areas shall be irrigated.
6. Undeveloped areas, held in reserve for future building or pavement development by an applicant need not be irrigated or fully landscaped. However, these areas shall (if the natural vegetation has been disturbed or is deemed inadequate to prevent erosion), as a minimum, be seeded with a drought resistant turf mix to hold down weed growth and to minimize wind and water erosion.
 7. The use of nonliving objects such as ornaments in the landscape is discouraged, particularly in front or side yards visible from adjacent properties and roads. All exterior objects and sculpture must be approved by the Committee.
 8. No trees will be removed from a site without the approval of the Committee except for diseased trees or for safety reasons which may cause damage to an existing or proposed home.

ACCEPTABLE LANDSCAPED MATERIAL AND PRACTICES

1. Plant Quality/Size:

- a. Plant material used for landscaping in conformance with the provisions of this section shall equal or exceed the standards. Standards for sizing and measurements of plant material shall also be in accordance with this document. The sizes for plant material given in this chapter shall be the minimum size at the time of installation.
- b. All "major" shade trees shall be a minimum of ten (10) feet in height with a minimum spread of eight (8) feet. All trees shall have a minimum planting area of twenty-five (25) square feet with a minimum distance of two and one-half (2-1/2) feet from the center of the tree trunk to the near edge of any landscape area.
- c. Shrubs classified as a "spreading type" shall have a minimum spread of eighteen (18) inches; those classified as an "upright type" shall have a minimum height of thirty (30) inches. The Committee shall reserve the right to approve a lesser size of shrub with greater density.
- d. Groundcovers shall be in minimum of 2-1/4 inch pots and planted at a minimum of eight (8) inches on center.
- e. Hedges shall be planted a minimum of three (3) feet on center. Shrubs used in hedges shall be the minimum size required for shrubs set forth in this chapter.

2. Workmanship:

- a. All plant material shall be installed in accordance with best

MISC. / UPLAND U.S. 7/2

standard nursery practice, with the quality of plant materials as described in this section.

- b. All major and minor trees with root systems which are likely to cause damage to public roadways or underground utility lines shall not be planted so as to damage such public works.
- c. Use of indigenous inorganic materials (i.e., rocks, gravel) to function as groundcover or paving substitutes shall be allowed only with Committee approval and shall be used only when governed by a strong design concept or in areas where organic material will present maintenance or logistics problems.

All major and minor trees shall have a mulch bed with a minimum radius of two and one-half (2-1/2) feet measured from the center of the tree trunk(s). Each shrub shall have a mulch bed that has a minimum radius of twelve (12) inches measured from the center of the plant. Shrubs planted in mass shall have a continuous mulch bed. All vines and groundcovers shall have a bed minimum of two (2) inches in depth.

3. Recommended Plant Material/Palette

- a. The plants listed in this section are permitted for use in landscaping. Exceptions to this list must be approved by the Committee.
- b. Plant material marked * are recommended for street right-of-way planting. All major trees used in the project (except right-of-way) shall be 2-1/2 inches minimum caliper. Other trees can be used as approved by the Committee after submittal.

Major Trees

American Holly (Ilex Opaca Var.)
Chinese Elm (Ulmus Parvifolia Semper Virens "Drake")
Laurel Oak (Quercus Laurifolia)*
Live Oak (Quercus Virginiana)*
Red Maple (Acer Rubrum)
River Birch (Betula Nigra)
Slash Pine (Pinus Elliotti)*
Southern Magnolia (Magnolia Grandiflora)
Sweet Gum (Liquidambar Styraciflua)
Sycamore (Platanus Occidentals)*
Tulip Poplar (Liriodendron Tulipifera)
Water Oak (Quercus Nigra)
Bald Cypress (Taxodium Distichum)*

Minor Trees

American Holly (Ilex Opaca)
Bradford Pear (Pyrus Calleryana "Bradford")
Cherry Laurel (Prunus Caroliniana)
Chinese Tallow Tree (Sapium Sebiferum)*

Crepe Myrtle (Lagerstronemia Indica)
Wax Myrtle (Myrica Cerifera)*
Weeping Willow (Salix Babylonica)

Shrubs and Hedges

All plant material used for hedges and screens shall be planted to create an eighty (80%) percent opaque screen at thirty (30) inches of height. The following is a brief of representative material. Other material can be used as approved by the Committee after submittal.

Azalea (Rhododendron Sp.)
Common Oleander (Nerium Oleander)*
Dwarf Burford Holly (Ilex Cornuta Burfordi Nana)
Dwarf Oleander (Nerium Oleander Nanum)
Firethorn (Pyracantha Coccinea)
Japanese Privet (Ligustrum Japonicum)
Red Top (Photina Serrulata)

LANDSCAPE MAINTENANCE

1. All plantings shall be maintained in healthy growing condition. Fertilization, cultivation and pruning shall be carried out on a regular basis.
2. Dead or dying plants shall be removed and replaced as quickly as possible thirty (30) days maximum unless seasonal conditions prohibit).
3. All plantings are to be irrigated or watered as often as necessary to maintain healthy growing conditions.
4. All lawns shall be kept neat and mowed to a maximum of three inches in height.
5. The site shall be maintained in a safe, clean and neat condition free of rubbish and weeds.
6. Irrigation systems are to be kept in proper working condition. Adjustment, repair and cleaning are to be done on a regular basis.

FENCING

Fencing is prohibited on golf course and lake fronting lots. Fencing may be allowed on interior lots subject to review and approval by the Architectural Review Committee.

MINIMUM REQUIREMENTS FOR APPROVED FENCING

1. All perimeter and interior fencing constructed in Glen Eagles shall be of the approved fencing types "A" and "B" only. No fence shall exceed four (4) feet in height.

2. No fencing shall be constructed in front yards or block established drainage ways.
3. All fencing must be submitted for approval to the Architectural Review Committee.
4. No fencing shall be constructed in such a way as to block views and restrict free flow of open space between homes and throughout the neighborhood.
5. Fencing should relate to the principal architectural features of the home in design, location and the way in which it connects to the existing house. Walks that are an integral part of the residential design are permitted within the fencing setbacks.
6. Although no fencing will be permitted along the edge of the golf course, properly planted and maintained hedges will be acceptable. In no case shall hedge height be greater than three feet.
7. Planting shall be integrated with all fencing schemes in order to soften the visual impact.
8. The tops of all fences shall be level. If the ground slopes, the fence shall be stepped. The bottom of fence type "A" shall be no more than four inches above grade at any point. Fencing type "B" shall be no more than ten inches above grade. Vertical posts shall be plumb and shall extend eight inches beyond the uppermost horizontal portion of the fence. The top of all posts shall be chamfered and notched (see exhibit) as approved by the Committee.
9. Gates shall match fencing in design, material, height and color.
10. Chain link, hog wire and barbed wire fences are prohibited.
11. Examples of approved materials for fencing are Cedar, pressure treated Southern Pine or Redwood. Finish shall match or complement that of the dwelling.

SCREENING

Approved type "A" fencing or other approved means (such as plant material) shall be used to screen the following unsightly objects. The purpose of the screening requirements is to ensure that residential neighborhoods have a neat and orderly appearance free from the visual clutter that detracts from property values and community character.

GARBAGE AND REFUSE

All trash, refuse, rubbish, garbage and other wastes shall be kept in closed containers such as garbage cans, waterproof boxes, etc. These containers shall be kept out of view.

FIREWOOD

Firewood shall be neatly stacked and should be located within the confines of a screened enclosure such as a fence or wall.

MECHANICAL EQUIPMENT/UTILITIES

All utilities shall be installed underground. On-grade utility appurtenances, such as electrical transformers, utility meters, etc., shall be screened using approved landscape planting.

Mechanical equipment, such as air conditioners, heating equipment, etc., shall be installed as an integral part of the architecture whenever possible. Under no circumstances shall these items be roof mounted or located in such a way as to be visible from neighboring properties or public streets.

MISCELLANEOUS ITEMS

SIGNAGE

1. Each residential development will have a neighborhood identity sign designed in accordance with these guidelines.
2. No other signs of any type shall be displayed on the home site after initial occupancy, except for a single sign advertising the home for sale or rent. This single sign shall be in accordance with these design guidelines.
3. No signs shall be posted in the windows of a home except those specifically approved by the Committee.
4. No house numbers shall be placed on a residence, or on any signs. House numbers are provided on the mailbox provided by the Developer at the Applicant's expense.
5. All temporary sales center signs or other individual builder signs must be approved by the Committee.
6. All streets within Craft Farms will have a coordinated street name/stop sign system which will be provided by the Developer.

MAILBOXES

Mailboxes of the standard Craft Farms design shall be provided and installed by the Developer at the Applicant's expense. The mailboxes and posts shall not be stained or painted in a color different from the original. Other boxes, newspaper tubes, etc., shall not be installed or affixed to the original mailbox or post.

LIGHTING

1. The standard street lighting fixture used at Craft Farms shall be used to illuminate all public streets.